

# Notice of Allowability

Application No.

10/079,057

Examiner

Sanh D. Phu

Applicant(s)

GARLEPP ET AL.

Art Unit

2682

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 9/26/2005.
2. ☒ The allowed claim(s) is/are 1 and 4-74 which have been renumbered as 1-72.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All b) ☐ Some\* c) ☐ None of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☒ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date 20051006.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

### EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it must be submitted no later than the payment of the issue fee.
  2. Authorization for this examiner's amendment was given in a telephone interview with Mr. Maximilian R. Peterson on 10/5/2005.
- 

3. The application has been amended as follows:

In the claims:

Claim 1, line 6, adds the phrase -- the differential input having symmetrical impedances from input signal lines to a reference node, -- after "circuitry,".

line 7, adds the phrase -- the differential output having symmetrical impedances from output signal lines to the reference node-- after "processing circuitry having an input impedance,".

Art Unit: 2682

Claim 35, line 2, adds the phrase -- having symmetrical impedances from input signal lines to a reference node, -- after "an impedance matching network, having a differential input".

line 3, adds the phrase -- having symmetrical impedances from output signal lines to a reference node ;-- after "and a differential output".

Claim 63, line 6, adds the phrase -- having symmetrical impedances from input signal lines to a reference node, -- after "differential input".

line 7, adds the phrase -- the differential output having symmetrical impedances from output signal lines to a reference node.-- after "output of the impedance matching network,".

#### REASONS FOR ALLOWANCE

4. Claims 1 and 4-74 are allowed.
5. The following is an examiner's statement of reasons for allowance:

Claims 1 and 4-74 are allowable over the prior art of record for the reason as stated in the Applicant's Remark dated on 9/26/2005 pages 2-5.

Art Unit: 2682

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

### *Drawings*

6. New formal drawings are required, because the drawings submitted on 6/24/2002 were informal.

### *Conclusion*

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sanh D. Phu whose telephone number is (571)272-7857. The examiner can normally be reached on M-F at 8:00-16:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, QuocHien Vuong can be reached on (571)272-7902. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2682

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Sanh D. Phu  
Examiner  
Art Unit 2682



SP

 10/12/05  
QUOCHIEN B. VUONG  
PRIMARY EXAMINER